

## UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO	). I	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/708,745	10/708,745 03/23/2004		Michael E. Nerney	1193.02	2744
21901	7590	07/27/2006		EXAMINER	
	IOPEN, PA		STIGELL, THEODORE J		
180 PINE AVENUE NORTH OLDSMAR, FL 34677				ART UNIT	PAPER NUMBER
	•			3763	
				DATE MAIL ED. 07/27/2007	

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)
Suppl	10/708,745	NERNEY, MICHAEL E.
Notice of Allowability	Examiner	Art Unit
	Theodore J. Stigell	3763
The MAILING DATE of this communication appearance All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIOF the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this or other appropriate communical GHTS. This application is subject	application. If not included tion will be mailed in due course. THIS
1. This communication is responsive to <u>5/2/2006</u> .		
2. The allowed claim(s) is/are <u>1 and 3-15</u> .		
<ul> <li>3. Acknowledgment is made of a claim for foreign priority unall All b) Some* c) None of the:  1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)).  * Certified copies not received:  Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.</li> <li>4. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give 5. CORRECTED DRAWINGS (as "replacement sheets") must (a) including changes required by the Notice of Draftspers 1) hereto or 2) to Paper No./Mail Date  (b) including changes required by the attached Examiner's Paper No./Mail Date  Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in the company of the paper No. INFORMATION about the deponant sheet of the paper No. INFORMATION about the deponant sheet of the paper No. INFORMATION about the deponant sheet of the paper No. INFORMATION about the deponant sheet of the paper No. INFORMATION about the deponant sheet of the paper No. INFORMATION about the deponant sheet of the priority document sheet of the priority document sheet.</li> </ul>	been received.  been received in Application No cuments have been received in the cuments have been received in the communication to file a replication.  In this application.  In the communication to file a replication.  In the communication to f	nis national stage application from the obly complying with the requirements  ER'S AMENDMENT or NOTICE OF aration is deficient.  TO-948) attached  e Office action of awings in the front (not the back) of 21(d).  L must be submitted. Note the
attached Examiner's comment regarding REQUIREMENT  Attachment(s)	FOR THE DEPOSIT OF BIOLOG	BICAL MATERIAL.
1. Notice of References Cited (PTO-892)	<u></u>	al Patent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6.	Date
<ol> <li>Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date</li> </ol>	8), 7. Examiner's Ame	ndment/Comment
Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. 🛛 Examiner's State	ement of Reasons for Allowance
o. Diological material	9.	

## **DETAILED ACTION**

## **EXAMINER'S AMENDMENT**

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Ronald Smith on 5/12/2006.

The application has been amended as follows:

In claim 11, line 22, please replace "adapter" with --attachment--.

In claim 11, line 23, please replace "adaptor" with --attachment--.

In claim 14, line 1, please replace "12" with --11--.

The following is an examiner's statement of reasons for allowance: The best prior art made of record, namely the Lee reference (5,115,816), did not teach or render obvious a plunger control adaptor or syringe attachment for retrofit attachment to a syringe that included all of the limitations as recited in claims 1 and 11, especially the limitation of "a slide member having a first lower surface that slidably engages a first upper surface of said barrel and a second upper surface that supports a finger or a thumb".

Application/Control Number: 10/708,745

Statement of Reasons for Allowance."

Art Unit: 3763

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on

Page 3

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Theodore J. Stigell whose telephone number is 571-272-8759. The examiner can normally be reached on M-F 8:30-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nicholas Lucchesi can be reached on 571-272-4977. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Theodore J. Stigell

NICHOLAS D. LUCCHESI SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 3709